5

WE CLAIM:

- 1. A color cosmetic composition comprising an oil component and a particulate matter component, the improvement wherein the composition additionally contains an uncrosslinked synthetic polymer having a glass transition temperature of 76 to 120° C., comprising at least one methacrylate ester monomer repeat unit which, if polymerized, would yield a polymer having a glass transition temperature 76 to 120° C.
- 2. The composition of claim 1 wherein the methacrylate ester monomer repeat unit which, if polymerized to a molecular weight average of 20,000, would yield a polymer having a glass transition temperature of 76 to 120° C
- 3. The composition of claim 1 wherein the polymer has a glass transition temperature ranging from about 80 to 115° C.
- 4. The composition of claim 1 wherein the methacrylate ester repeat unit is an aliphatic ester of methacrylic acid.
- 5. The composition of claim/4 wherein the methacrylate ester repeat unit is methacrylic acid esterified with an aliphatic alcohol of 1 to 8-carbon atoms.
- 6. The composition of claim 5 wherein the aliphatic alcohol has 1 or 2 hydroxy groups.
- 7. The composition of claim 5 wherein the polymer is methyl methacrylate.
- 8. The composition of claim wherein the methacrylate ester repeat unit is isobornylmethacrylate.
- 9. The composition of claim 1 comprising, by weight of the total composition:

 3-30% of the polymer,

5

10

15

10-40% of a volatile oil selected from the group consisting of cyclomethicone, a volatile paraffinic hydrocarbon, and mixtures thereof;

10-30% of a nonvolatile oil selected from the group consisting of dimethicone, a fluoro guerbet ester, and mixtures thereof;

1-30% of a wax having a melting point of 30 to 120° C. selected from the group consisting of an aliphatic hydrocarbon, a fluorinated wax, and mixtures thereof; and

10-40% particulate matter having a particle size of 0.5 to 100 microns.

- 10. The composition of claim 1 wherein the oil comprises both a volatile solvent having a viscosity of 0.5 to 10 centistokes at 25° C. and a honvolatile oil having a viscosity of greater than 10 centistokes at 25° C.
- 11. The composition of claim 10 wherein the volatile solvent comprises one or more compounds selected from the group consisting of cyclomethicones of up to 7 silicon atoms, linear dimethicone of up to 9 silicon atoms, and straight or branched chain paraffinic hydrocarbons having about 5 to 40 carbon atoms.
- 12. The composition of claim 10 wherein the nonvolatile oil comprises one or more compounds selected from the group consisting of silicones, fatty alcohols, fatty esters, and nonvolatile hydrocarbon oils.
 - 13. The composition of claim 10 wherein the nonvolatile oil comprises one or more compounds selected from the group consisting of dimethicone and a fluoro guerbet ester.
- 20 14. The composition of claim 1 additionally comprising 1-70% of a wax having a melting point of 30 to 120° C.

10

15

- 15. The composition of claim 14 wherein the wax is one or more compounds selected from the group consisting of an aliphatic hydrocarbon and a fluorinated silicone.
- 16. The composition of claim 15 wherein the wax is a synthetic aliphatic hydrocarbon and a fluorinated dimethicone copolyol.
- 5 17. The composition of claim 16 wherein the fluorinated dimethicone copolyol is dimethiconol fluoroalcohol dilinoleic acid.
 - 18. The composition of claim 1 which is an anhydrous stick.
 - 19. The composition of claim 18 which is a lipstick.
 - 20. A lipstick composition comprising:

1-40% of an uncrosslinked synthetic polymer having a glass transition temperature of 76 to 120° C., comprising at least one methacrylate ester monomer repeat unit which, if polymerized to a molecular weight average of 20,000, would yield a polymer having a glass transition temperature 76 to 120° C.

10-40% of a volatile oil,

10-30% of a nonvolatile oil,

1-30% of a wax having a melting point of 30 to 120° C., and

10-40% particulate matter having a particle size of 0.5 to 100 microns.

85849-1.doc

DOAN B